



## Department of Health

### STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program  
Communicable Disease Control Directorate

Report for eight week period 15-JAN-24 to 10-MAR-24

#### **GENERAL NOTES**

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

#### **SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)**

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.  
  
For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

[http://ww2.health.wa.gov.au/Articles/F\\_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report](http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report)

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 10			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/01	28/01	04/02	11/02	18/02	25/02	03/03	10/03	2024	2023	2022			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1			1	1	1	1		7	4	0	3	0.9	3.5
Hepatitis B (unspecified)	16	9	9	17	10	8	12	10	98	90	75	40	36.2	1.1
Hepatitis C (newly acquired)	2	1	3	1	1	1	1		16	13	14	3	5.9	0.5
Hepatitis C (re-infection)	1				1		1		3	2	0	2	0.2	10.0
Hepatitis C (unspecified)	17	11	10	18	21	18	27	23	169	174	147	89	71.3	1.2
Hepatitis D		1	1	1	1				4	1	1	1	0.6	1.7
<b>Enteric diseases</b>														
Campylobacteriosis	121	90	123	93	90	72	80	60	943	1114	618	302	257.7	1.2
Cryptosporidiosis	7	18	19	15	13	20	26	17	154	49	84	76	42.5	1.8
Hepatitis A	1					2			5	5	2	2	1.9	1.1
Rotavirus	21	7	12	19	23	9	7	4	136	281	81	43	39.8	1.1
STEC/VTEC infection	7	8	10	5	8	2	3	1	54	79	36	14	16.4	0.9
Salmonellosis	33	31	36	26	34	41	27	20	300	402	214	122	146.8	0.8
Shigellosis	9	3	14	12	4	9	7	2	78	105	18	22	23.6	0.9
Typhoid	2		1						3	9	4	0	1.9	0.0
Vibrio parahaemolyticus	1	1		1	3				7	2	2	3	0.8	3.8
Yersiniosis	5	2	6	4	5	4	6	1	39	27	3	16	3.4	4.7
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	270	228	290	279	272	276	260	229	2597	2572	2217	1037	937.2	1.1
Gonorrhoea	127	89	124	109	114	105	111	72	1060	834	578	402	287.7	1.4
Syphilis - Infectious	13	11	12	15	12	13	11	2	108	147	167	38	57.5	0.7
Syphilis - Non-Infectious	7	5	4	1	5	4	6	6	43	48	45	21	18.3	1.1
<b>Vaccine preventable diseases</b>														
Influenza	127	104	143	105	120	127	151	137	1278	1027	12	535	265.8	2.0
Measles							1		1	0	0	1	1.1	0.9
Mumps						2	1	1	4	1	0	4	1.0	4.0
Pertussis		6	6	3	4	2	3	1	33	13	9	10	17.3	0.6
Pneumococcal infection		5	1	2	1	6	2	1	20	26	24	10	8.7	1.1
Varicella (chicken pox)	8	4	4	11	9	12	6	4	72	83	74	31	35.5	0.9
Varicella (shingles)	54	48	56	45	48	39	33	23	424	531	515	143	200.9	0.7
Varicella (unspecified)	53	47	46	54	58	62	50	67	532	506	500	237	152.3	1.6
<b>Vector-borne diseases</b>														
Barmah Forest virus		2							2	5	6	0	2.0	0.0
Chikungunya			1		1				3	4	0	1	0.9	1.2
Dengue fever	8	6	8	4	5	10	3	1	60	38	1	19	12.7	1.5
Malaria	1	1				3	2	1	11	15	3	6	3.7	1.6
Ross River virus	2	6	11	12	4	8	3	2	62	56	307	17	52.5	0.3
Typhus				1			1		6	6	1	1	1.4	0.7
<b>Zoonotic diseases</b>														
Leptospirosis									0	2	0	0	0.3	0.0
Q Fever						1			1	2	1	1	0.4	2.5
<b>Other diseases</b>														
Acute post-streptococcal glomerulon	1			2	1	1	1		6	0	4	3	0.6	5.0
Legionellosis	1	3	1		1	1	1		12	11	9	3	3.7	0.8
Melioidosis		1	1						2	1	0	0	0.5	0.0
Meningococcal infection									0	1	4	0	0.9	0.0
RSV	30	32	41	40	41	53	56	49	417	314	1159	199	83.7	2.4
Tuberculosis	5	1	2	7	3	2	8	6	37	18	14	19	9.9	1.9
iGAS	2	4	6	5	5	6	2	1	39	40	33	14	5.1	2.7
<b>Grand Total</b>	<b>953</b>	<b>785</b>	<b>1001</b>	<b>908</b>	<b>919</b>	<b>920</b>	<b>910</b>	<b>741</b>						

**METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])**

Disease Category/Disease	Week Ending								Cumulative Total to end of week 10			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	21/01	28/01	04/02	11/02	18/02	25/02	03/03	10/03	2024	2023	2022			
	<b>Blood-borne diseases[2]</b>													
Hepatitis B (newly acquired)	1				1				4	1	0	1	0.5	1.9
Hepatitis B (unspecified)	9	8	8	14	9	6	9	8	77	75	60	32	29.4	1.1
Hepatitis C (newly acquired)	1	1	2	1	1	1	1		14	11	11	3	4.7	0.6
Hepatitis C (re-infection)	1				1				2	2	0	1	0.2	5.0
Hepatitis C (unspecified)	12	6	9	14	14	10	18	17	117	132	105	59	51.1	1.2
Hepatitis D		1	1	1	1				4	1	1	1	0.6	1.7
<b>Enteric diseases</b>														
Campylobacteriosis	107	69	100	75	67	54	64	48	751	891	499	233	206.6	1.1
Cryptosporidiosis	6	17	17	12	12	17	23	15	132	26	65	67	32.7	2.1
Hepatitis A	1					2			4	5	1	2	1.7	1.2
Rotavirus	18	7	12	18	23	8	6	3	125	255	69	40	35.5	1.1
STEC/VTEC infection	4	2	6	2	6	2	1		29	49	27	9	11.1	0.8
Salmonellosis	27	23	23	20	25	33	20	13	223	305	153	91	108.9	0.8
Shigellosis	8	2	10	10	4	7	5		60	83	8	16	14.9	1.1
Typhoid	2		1						3	9	4	0	1.8	0.0
Vibrio parahaemolyticus	1	1		1	2				6	2	2	2	0.7	2.7
Yersiniosis	5	2	6	4	5	3	4	1	36	22	3	13	2.7	4.8
<b>Sexually transmissible infections</b>														
Chlamydia (genital)	221	177	219	206	215	218	217	183	2050	2032	1742	833	735.3	1.1
Gonorrhoea	103	64	86	75	82	77	92	55	796	609	367	306	197.5	1.5
Syphilis - Infectious	7	6	9	9	8	9	7	1	69	89	119	25	34.7	0.7
Syphilis - Non-Infectious	3	2	1		3	1	3	4	21	30	25	11	12.8	0.9
<b>Vaccine preventable diseases</b>														
Influenza	111	84	120	91	102	97	111	97	1022	744	6	407	186.2	2.2
Measles							1		1	0	0	1	0.8	1.3
Mumps						1	1	1	3	1	0	3	0.7	4.1
Pertussis		2	3	3	4	1	3		18	12	6	8	13.0	0.6
Pneumococcal infection		4			1	3	1		10	16	12	5	4.4	1.1
Varicella (chicken pox)	7	3	4	9	7	10	4	4	59	67	56	25	25.7	1.0
Varicella (shingles)	37	34	38	29	30	20	24	12	283	342	357	86	139.9	0.6
Varicella (unspecified)	49	43	42	52	52	61	44	62	496	485	466	219	146.1	1.5
<b>Vector-borne diseases</b>														
Barmah Forest virus		2							2	2	1	0	0.2	0.0
Chikungunya			1		1				3	4	0	1	0.6	1.7
Dengue fever	6	5	7	3	3	7	2		45	28	1	12	10.1	1.2
Malaria	1	1				3	2		9	12	3	5	3.1	1.6
Ross River virus		2	4	2	1	2			16	25	215	3	31.9	0.1
Typhus				1			1		2	4	0	1	0.6	1.7
<b>Zoonotic diseases</b>														
Leptospirosis									0	2	0	0	0.2	0.0
Q Fever						1			1	1	0	1	0.2	5.0
<b>Other diseases</b>														
Acute post-streptococcal glomerulon	1			2	1	1			5	0	0	2	0.0	0.0
Legionellosis		3	1		1	1	1		9	10	6	3	2.5	1.2
Melioidosis			1						1	0	0	0	0.0	0.0
Meningococcal infection									0	1	4	0	0.3	0.0
RSV	20	26	32	30	24	38	35	30	293	219	751	127	50.9	2.5
Tuberculosis	5	1	1	4	3	2	3	5	27	17	11	13	8.9	1.5
iGAS	1	2	4	1	3	6		1	24	28	21	10	3.2	3.1
<b>Grand Total</b>	<b>775</b>	<b>600</b>	<b>768</b>	<b>689</b>	<b>712</b>	<b>702</b>	<b>703</b>	<b>560</b>						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)			0.3					1	0.3
Hepatitis B (unspecified)	4	8 (11)	2.7	1	11 (11)	3.1	3	13 (11)	4.8
Hepatitis C (newly acquired)		(2)	0.1		1 (3)	1.0		2 (2)	0.8
Hepatitis C (re-infection)					1	0.1		(2)	0.1
Hepatitis C (unspecified)	3	11 (9)	3.5	8	25 (25)	6.7	6	23 (21)	5.9
Hepatitis D						0.1		1 (1)	0.4
<b>Enteric diseases</b>									
Campylobacteriosis	12	69 (115)	32.4	19	84 (99)	38.0	17	80 (108)	32.9
Cryptosporidiosis	9	32 (2)	8.2	4	10 (2)	3.1	2	25 (4)	6.6
Hepatitis A								2 (2)	0.5
Rotavirus	1	12 (41)	4.4	1	15 (45)	6.6	1	13 (33)	6.2
STEC/VTEC infection		4 (6)	1.9		2 (2)	1.0		3 (6)	1.1
Salmonellosis	6	43 (33)	11.6	2	18 (30)	10.2	5	30 (24)	8.7
Shigellosis		3 (11)	2.3		3 (10)	1.6		10 (14)	4.2
Typhoid		(3)	0.1					(3)	0.3
Vibrio parahaemolyticus		1	0.1			0.4		1	0.3
Yersiniosis		5 (2)	1.9	1	4 (2)	1.9		4 (2)	1.2
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	61	259 (240)	85.0	45	254 (231)	89.5	77	320 (325)	106.0
Gonorrhoea	16	84 (68)	30.1	13	76 (43)	30.3	26	146 (93)	48.1
Syphilis - Infectious		5 (4)	2.4		7 (8)	2.5	1	13 (20)	4.5
Syphilis - Non-Infectious	1	2 (4)	0.8	1	3 (6)	0.6	2	6 (8)	1.5
<b>Vaccine preventable diseases</b>									
Influenza	40	167 (148)	57.8	25	108 (79)	36.0	32	132 (93)	45.4
Measles								1	0.1
Mumps	1	1 (1)	0.1		1	0.1		1	0.1
Pertussis		1 (4)	0.8		1 (2)	0.7		6 (2)	0.9
Pneumococcal infection		2 (1)	0.5		1 (1)	0.4		2 (3)	0.4
Varicella (chicken pox)	1	14 (11)	3.1	1	5 (8)	2.0	2	6 (11)	2.9
Varicella (shingles)	3	29 (44)	13.7	4	25 (44)	13.9	5	32 (36)	11.4
Varicella (unspecified)	23	84 (63)	22.8	17	62 (53)	23.1	22	73 (74)	22.2
<b>Vector-borne diseases</b>									
Barmah Forest virus						0.3			
Chikungunya						0.3		1	0.1
Dengue fever		5 (3)	1.9		3 (2)	2.6		4 (4)	1.7
Malaria		1 (3)	0.3			0.3		4 (2)	0.7
Ross River virus		1 (1)	0.7		(4)	1.0		2 (4)	0.5
Typhus					1 (1)	0.3			
<b>Zoonotic diseases</b>									
Q Fever		1	0.1						
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)					1	0.4		1	0.3
Legionellosis		(1)	0.1		1 (3)	0.4		2 (1)	0.7
Melioidosis						0.1			
RSV	17	76 (40)	19.3	6	19 (17)	10.4	7	32 (22)	10.3
Tuberculosis	1	2 (3)	0.8	1	4 (2)	1.0	3	7 (2)	1.8
iGAS		4 (4)	0.8	1	2 (2)	1.3		4 (4)	1.2
<b>Grand Total</b>	<b>199</b>	<b>926 (878)</b>		<b>150</b>	<b>748 (735)</b>		<b>211</b>	<b>1003 (937)</b>	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)		1	1.1						
Hepatitis B (unspecified)		2 (1)	2.1		1	1.6		(2)	6.8
Hepatitis C (newly acquired)						1.6			
Hepatitis C (re-infection)					1	1.6			
Hepatitis C (unspecified)	2	9 (5)	7.5	1	5	12.9		1 (6)	4.1
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis	2	25 (32)	39.7	3	10 (10)	30.7	2	10 (9)	34.2
Cryptosporidiosis	2	5 (1)	4.3		1	4.9		2 (1)	4.1
Hepatitis A								(2)	2.7
Rotavirus	1	2 (6)	2.1					(1)	5.5
STEC/VTEC infection	1	3	2.7			1.6			
Salmonellosis	1	9 (7)	9.6		2 (1)	9.7	1	4 (6)	13.7
Shigellosis		(1)	1.6			1.6			1.4
Typhoid									
Vibrio parahaemolyticus		1	0.5						
Yersiniosis		3	1.6						
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	11	45 (41)	60.5	1	13 (12)	51.8	3	12 (11)	46.4
Gonorrhoea	3	13 (7)	17.1	1	5	14.6	1	6 (3)	16.4
Syphilis - Infectious		(1)	1.6	1	3	6.5		1	2.7
Syphilis - Non-Infectious		2	1.1			1.6		1	1.4
<b>Vaccine preventable diseases</b>									
Influenza	14	43 (10)	51.4	10	23 (9)	59.9	1	6 (5)	17.8
Measles									
Mumps									
Pertussis	1	1	4.3			1.6			
Pneumococcal infection		1	0.5						
Varicella (chicken pox)		1 (2)	2.1		3	6.5		(1)	1.4
Varicella (shingles)	8	35 (36)	42.3		5 (11)	35.6	1	4 (7)	12.3
Varicella (unspecified)				1	4	8.1	1	2 (3)	10.9
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever		2 (2)	2.1			1.6			
Malaria			0.5						
Ross River virus	2	5 (1)	11.8		1 (2)	3.2		1 (2)	1.4
Typhus			0.5			1.6		(1)	2.7
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis						3.2			
Melioidosis									
RSV		5 (1)	6.4		(4)	12.9			5.5
Tuberculosis	1	1	1.1		2	3.2		1	2.7
iGAS			1.1		1	1.6			
<b>Grand Total</b>	<b>49</b>	<b>214 (154)</b>		<b>18</b>	<b>80 (49)</b>		<b>10</b>	<b>51 (60)</b>	

## Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		(1)	3.5				1	3 (1)	10.3
Hepatitis C (newly acquired)						2.1			
Hepatitis C (re-infection)									
Hepatitis C (unspecified)	1	3 (4)	10.4		6 (1)	20.7	1	3	12.0
Hepatitis D									
<b>Enteric diseases</b>									
Campylobacteriosis		5 (2)	27.8	1	4 (7)	22.7	2	4 (7)	22.2
Cryptosporidiosis		(1)	1.7		1	4.1		(3)	5.1
Hepatitis A									
Rotavirus		(1)	3.5					1 (2)	1.7
STEC/VTEC infection		1 (1)	8.7			4.1		1 (2)	5.1
Salmonellosis	3	5 (8)	13.9		1	18.6	1	4 (6)	10.3
Shigellosis		3 (1)	7.0		(2)	2.1			1.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
<b>Sexually transmissible infections</b>									
Chlamydia (genital)	4	17 (22)	85.3	6	23 (22)	126.1	10	36 (37)	171.1
Gonorrhoea		6 (6)	34.8	2	19 (14)	107.5		7 (15)	39.3
Syphilis - Infectious		1 (4)	7.0		(1)	4.1		4 (6)	17.1
Syphilis - Non-Infectious	1	3 (2)	12.2		(1)	10.3		2	3.4
<b>Vaccine preventable diseases</b>									
Influenza	2	9 (4)	27.8		(1)	16.5	2	15 (21)	47.9
Measles									
Mumps									
Pertussis					1	8.3			3.4
Pneumococcal infection				1	1 (1)	8.3		2 (2)	3.4
Varicella (chicken pox)		1	3.5					1 (2)	3.4
Varicella (shingles)		1 (6)	3.5		2 (10)	14.5		1 (1)	5.1
Varicella (unspecified)		3	17.4	2	3	8.3		1	1.7
<b>Vector-borne diseases</b>									
Barmah Forest virus									
Chikungunya									
Dengue fever					(1)	2.1		1	3.4
Malaria									
Ross River virus									
Typhus									
<b>Zoonotic diseases</b>									
Q Fever									
<b>Other diseases</b>									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis			1.7						
Melioidosis									
RSV		3	13.9		1 (3)	6.2		2 (7)	15.4
Tuberculosis			1.7		1	2.1			
iGAS			3.5		(1)	2.1		1 (2)	6.8
<b>Grand Total</b>	<b>11</b>	<b>61 (63)</b>		<b>12</b>	<b>63 (65)</b>		<b>17</b>	<b>89 (114)</b>	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
<b>Blood-borne diseases[2]</b>						
Hepatitis B (newly acquired)				0	3 (1)	0.3
Hepatitis B (unspecified)	1	2 (1)	8.9	10	40 (39)	3.6
Hepatitis C (newly acquired)				0	3 (9)	0.6
Hepatitis C (re-infection)				0	2 (2)	0.1
Hepatitis C (unspecified)	1	2 (5)	5.9	23	89 (76)	6.2
Hepatitis D				0	1 (1)	0.1
<b>Enteric diseases</b>						
Campylobacteriosis	2	6 (4)	47.5	60	302 (398)	34.8
Cryptosporidiosis				17	76 (15)	5.7
Hepatitis A				0	2 (4)	0.2
Rotavirus			3.0	4	43 (132)	5.0
STEC/VTEC infection		(1)	14.8	1	14 (19)	2.0
Salmonellosis	1	5 (9)	50.5	20	122 (126)	11.1
Shigellosis	2	2 (5)	14.8	2	22 (45)	2.9
Typhoid				0	0 (6)	0.1
Vibrio parahaemolyticus				0	3 (0)	0.3
Yersiniosis				1	16 (7)	1.4
<b>Sexually transmissible infections</b>						
Chlamydia (genital)	7	48 (61)	389.0	229	1037*****	95.9
Gonorrhoea	8	36 (34)	302.9	72	402 (284)	39.1
Syphilis - Infectious		4 (6)	41.6	2	38 (52)	4.0
Syphilis - Non-Infectious	1	1 (1)	5.9	6	21 (22)	1.5
<b>Vaccine preventable diseases</b>						
Influenza	8	18 (102)	71.3	137	535 (479)	47.2
Measles				0	1 (0)	0.0
Mumps				1	4 (1)	0.1
Pertussis				1	10 (9)	1.2
Pneumococcal infection		1	8.9	1	10 (9)	0.7
Varicella (chicken pox)				4	31 (39)	2.7
Varicella (shingles)	2	5 (6)	32.7	23	143 (203)	15.7
Varicella (unspecified)				67	237 (195)	19.6
<b>Vector-borne diseases</b>						
Barmah Forest virus				0	0 (1)	0.1
Chikungunya				0	1 (1)	0.1
Dengue fever			5.9	1	19 (12)	2.2
Malaria				1	6 (6)	0.4
Ross River virus		7 (7)	53.4	2	17 (23)	2.3
Typhus				0	1 (3)	0.2
<b>Zoonotic diseases</b>						
Q Fever				0	1 (2)	0.0
<b>Other diseases</b>						
Acute post-streptococcal glomerulonephritis (APS)		1	3.0	0	3 (0)	0.2
Legionellosis				0	3 (5)	0.4
Melioidosis			3.0	0	0 (0)	0.1
RSV	18	56 (9)	210.8	49	199 (110)	15.4
Tuberculosis		1	5.9	6	19 (7)	0.8
iGAS		2 (3)	14.8	1	14 (16)	1.4
<b>Grand Total</b>	<b>51</b>	<b>197 (254)</b>		<b>741</b>	<b>3490 (3382)</b>	

## Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 10	
	21/01	28/01	04/02	11/02	18/02	25/02	03/03	10/03	2024	2023
	<b>Salmonella Total</b>	<b>33</b>	<b>31</b>	<b>36</b>	<b>26</b>	<b>34</b>	<b>41</b>	<b>27</b>	<b>20</b>	<b>300</b>
<b>Serotype/Phage</b>										
Salmonella Agona	1	2	1		2	1			9	2
Salmonella Anatum	1						1		2	3
Salmonella Bareilly	1								1	2
Salmonella Blukwa	1								1	0
Salmonella Bonn									1	0
Salmonella Bootle					1				1	0
Salmonella Bovismorbificans			1	1		1	1		6	8
Salmonella Chailey	1								1	1
Salmonella Chester		2	2	2	3	2	2		16	18
Salmonella Choleraesuis bv Australia			2	1		1			4	5
Salmonella Choleraesuis bv Decatur	1			1					2	2
Salmonella Eastbourne		1							1	0
Salmonella Enteritidis	2	1	5	3	3	4			23	27
Salmonella Haifa					1				1	0
Salmonella Havana							1		1	1
Salmonella Heidelberg						1			1	0
Salmonella Hessarek			1						1	3
Salmonella Hvittingfoss		1							2	1
Salmonella Infantis	2	2	1	1	1		3		12	4
Salmonella Javiana						1			1	0
Salmonella Johannesburg		1		2			1		4	1
Salmonella Kentucky	1	1				2			4	3
Salmonella Kiambu							1		2	2
Salmonella Kottbus			1		1				2	6
Salmonella Mbandaka	1						1		2	0
Salmonella Mgulani			1						1	0
Salmonella Montevideo				1					1	1
Salmonella Muenchen	1	1	1	1					6	7
Salmonella Newport	1								4	8
Salmonella Onderstepoort									0	0
Salmonella Paratyphi B bv Java	3	1	2	2	3	1	4		19	18
Salmonella Potsdam									1	3
Salmonella Reading									0	3
Salmonella Rissen			1	1					2	0
Salmonella Saintpaul		1	3	1					6	86
Salmonella Senftenberg		1							2	1
Salmonella Singapore	1	2							4	0
Salmonella Stanley					1				1	7
Salmonella Typhimurium	4	4	4	5	12	18	3	2	63	74
Salmonella Virchow	1	2	1			1			5	2
Salmonella Wangata						1			1	3
Salmonella Waycross									1	0
Salmonella Weltevreden			2						4	8
Salmonella species	10	8	7	3	6	7	9	18	76	58
Salmonella subsp I ser 16:l,v:-				1					1	0
Salmonella subsp IIIb 48:r:e,n,x,z15									1	0