



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 07-MAY-26 to 01-JUL-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	2		2				2	3	16	11	15	5	1.3	3.8
Hepatitis B (unspecified)	15	11	9	11	11	17	12	8	287	269	265	48	35.7	1.3
Hepatitis C (newly acquired)	2		19	4		1	1	1	66	55	58	3	8.3	0.4
Hepatitis C (re-infection newly acquir	11	4	2	3	2	1	2	5	78	10	21	10	1.5	6.8
Hepatitis C (re-infection unspecified)	2	2	1	1	2	2	2		32	4	3	6	0.5	11.3
Hepatitis C (unspecified)	19	19	24	14	12	19	16	21	440	408	415	68	58.5	1.2
Hepatitis D		1			2				8	9	9	2	1.2	1.7
Enteric diseases														
Campylobacteriosis	77	63	96	61	70	101	81	38	2183	2058	2325	290	299.3	1.0
Cryptosporidiosis	2	2	3	1	7	2	2	1	101	1110	528	12	31.1	0.4
Hepatitis A	1								13	16	11	0	0.9	0.0
Listeriosis	1	1	1						6	5	3	0	0.5	0.0
Paratyphoid fever	2								6	7	5	0	0.4	0.0
Rotavirus	3	4	11	9	6	4			433	266	419	10	56.9	0.2
STEC/VTEC infection		3	3	5	3	4	2	1	89	103	113	10	12.9	0.8
Salmonellosis	36	29	25	28	23	19	18	9	774	849	985	69	86.1	0.8
Shigellosis	6	10	4	4	2	8	2	1	220	257	291	13	26.9	0.5
Typhoid	1	1							13	10	10	0	0.8	0.0
Vibrio parahaemolyticus					2	1			15	16	15	3	0.9	3.5
Yersiniosis	1	2	6	2	4	2			79	45	25	6	3.8	1.6
Sexually transmissible infections														
Chlamydia (genital)	204	237	241	181	215	217	224	92	6006	6500	6745	748	931.9	0.8
Gonorrhoea	103	99	110	86	123	110	96	34	3093	2618	2696	363	332.7	1.1
Syphilis - Infectious	15	17	12	10	15	13	8	3	375	400	335	39	58.1	0.7
Syphilis - Non-Infectious	7	3	8	5	9	14	9	4	186	156	129	36	23.5	1.5
Vaccine preventable diseases														
Diphtheria	9	19	10	19	16	11	6	2	169	1	0	35	0.0	0.0
H. influenzae type b									1	0	0	0	0.1	0.0
Influenza	90	81	68	94	125	211	344	174	3057	11265	4727	854	2647.2	0.3
Measles									5	21	2	0	0.5	0.0
Mumps	1								3	5	8	0	0.6	0.0
Pertussis	27	24	32	28	23	25	20	6	700	1044	236	74	39.5	1.9
Pneumococcal infection	9	5	3	6	4	5	2	1	84	109	104	12	25.6	0.5
Tetanus									1	1	0	0	0.0	0.0
Varicella (chicken pox)	13	10	15	18	15	18	5	4	255	281	258	42	38.2	1.1
Varicella (shingles)	55	54	46	51	54	27	18	3	1207	1271	1279	102	181.9	0.6
Varicella (unspecified)	66	48	56	65	64	73	83	43	1471	1325	1323	263	185.7	1.4
Vector-borne diseases														
Barmah Forest virus									14	10	15	0	1.3	0.0
Chikungunya				1					9	17	5	0	1.2	0.0
Dengue fever	1	4	2	1	2	4	1	1	104	260	359	8	20.7	0.4
Malaria	1		1			1	1	1	27	12	27	3	2.5	1.2
Murray Valley encephalitis virus			1						1	3	4	0	0.3	0.0
Ross River virus	5	4	7	4	7	3			256	328	176	10	20.3	0.5
Typhus			1						16	22	23	0	2.3	0.0
Zoonotic diseases														
Leptospirosis				1					1	1	0	0	0.1	0.0
Q Fever			1			1			7	9	4	1	0.9	1.1
Other diseases														
Acute post-streptococcal glomerulon		1				2	2		15	12	20	4	1.8	2.2
Amoebic meningitis				1					1	0	0	0	0.1	0.0
COVID-19	141	134	120	113	117	143	132	59	2363	7716	9827	451	*****	0.0
Creutzfeldt-Jakob disease									2	2	2	0	0.7	0.0
Haemolytic Uraemic Syndrome				1					1	1	0	0	0.1	0.0
Legionellosis		1		2			1		21	31	37	1	6.0	0.2
Leprosy									2	2	0	0	0.1	0.0
Melioidosis									4	11	5	0	0.5	0.0
Meningococcal infection									2	7	4	0	0.8	0.0
Mpox	7	2	9	1	1		1		33	15	0	2	0.3	6.0
RSV	153	179	197	217	313	392	522	260	3781	3156	2475	1487	885.7	1.7
Tuberculosis	3	5	1		6	1	4	2	78	92	105	13	11.7	1.1
iGAS	4	6	7	4	7	3	6	1	121	99	118	17	16.1	1.1
Grand Total	1095	1085	1154	1052	1262	1455	1625	778						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 26			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	2026	2025	2024			
	Blood-borne diseases[2]													
Hepatitis B (newly acquired)	2		1				1	3	12	9	12	4	1.1	3.5
Hepatitis B (unspecified)	13	8	9	8	10	12	8	8	235	218	225	38	29.4	1.3
Hepatitis C (newly acquired)	1		17						43	42	43	0	6.8	0.0
Hepatitis C (re-infection newly acquir	11	3	2	3	2	1	2	3	72	3	18	8	0.7	10.9
Hepatitis C (re-infection unspecified)	2	2	1	1	2	2	2		31	3	3	6	0.4	15.0
Hepatitis C (unspecified)	15	15	16	11	8	16	10	15	334	311	318	49	43.0	1.1
Hepatitis D		1			2				8	9	7	2	0.9	2.3
Enteric diseases														
Campylobacteriosis	64	57	65	52	57	80	69	33	1694	1629	1813	239	234.2	1.0
Cryptosporidiosis	2	1		1	5	2			63	949	455	7	23.6	0.3
Hepatitis A	1								13	11	10	0	0.5	0.0
Listeriosis	1	1	1						6	4	3	0	0.4	0.0
Paratyphoid fever									3	6	5	0	0.4	0.0
Rotavirus	3	4	9	9	6	4			380	218	384	10	35.6	0.3
STEC/VTEC infection		1	2	2	1	1		1	36	44	53	3	6.1	0.5
Salmonellosis	25	19	22	19	14	10	13	8	549	637	763	45	62.7	0.7
Shigellosis	4	8	3	3	1	6	1		167	191	225	8	17.9	0.4
Typhoid	1	1							11	9	8	0	0.5	0.0
Vibrio parahaemolyticus					2	1			14	12	13	3	0.6	5.0
Yersiniosis		2	6	1	2	2			70	41	23	4	3.5	1.1
Sexually transmissible infections														
Chlamydia (genital)	160	192	179	150	169	157	182	81	4678	5125	5302	589	729.5	0.8
Gonorrhoea	76	74	80	65	87	78	69	29	2286	1891	2011	263	233.1	1.1
Syphilis - Infectious	13	9	8	4	11	11	7	2	255	284	216	31	37.1	0.8
Syphilis - Non-Infectious	7	3	8	3	9	8	9	4	144	116	74	30	15.3	2.0
Vaccine preventable diseases														
Diphtheria						1			2	0	0	1	0.0	0.0
Influenza	65	61	40	73	95	161	270	152	2459	8548	3650	678	2024.8	0.3
Measles									4	11	2	0	0.5	0.0
Mumps	1								3	3	6	0	0.3	0.0
Pertussis	14	14	25	15	13	10	15	5	502	749	74	43	23.3	1.8
Pneumococcal infection	5	2	2	5	3	4	1	1	51	69	61	9	15.7	0.6
Tetanus									1	1	0	0	0.0	0.0
Varicella (chicken pox)	9	8	11	14	12	17	1	2	194	202	209	32	28.9	1.1
Varicella (shingles)	37	30	26	35	38	13	3		745	781	826	54	120.3	0.4
Varicella (unspecified)	66	47	55	64	64	70	81	43	1441	1298	1271	258	178.3	1.4
Vector-borne diseases														
Barmah Forest virus									1	5	8	0	0.5	0.0
Chikungunya				1					7	15	4	0	1.1	0.0
Dengue fever	1	3	2	1	2	3	1	1	86	205	281	7	16.3	0.4
Malaria			1			1	1	1	22	7	21	3	2.0	1.5
Murray Valley encephalitis virus			1						1	0	2	0	0.1	0.0
Ross River virus	3	3	5	2	4	2			139	217	64	6	9.8	0.6
Typhus			1						11	11	11	0	1.2	0.0
Zoonotic diseases														
Q Fever			1			1			3	9	3	1	0.6	1.7
Other diseases														
Acute post-streptococcal glomerulon						1			5	4	7	1	0.4	2.5
Amoebic meningitis				1					1	0	0	0	0.0	0.0
COVID-19	119	113	105	97	106	131	110	53	2009	6399	7886	400	*****	0.0
Creutzfeldt-Jakob disease									1	1	2	0	0.6	0.0
Haemolytic Uraemic Syndrome				1					1	0	0	0	0.0	0.0
Legionellosis		1		2			1		19	22	29	1	4.3	0.2
Leprosy									1	1	0	0	0.1	0.0
Melioidosis									1	2	1	0	0.1	0.0
Meningococcal infection									2	4	3	0	0.6	0.0
Mpox	7	1	8	1	1		1		31	15	0	2	0.3	6.0
RSV	128	157	162	173	278	340	443	233	3052	2496	1843	1294	748.7	1.7
Tuberculosis	3	5			5	1	4	2	72	85	87	12	10.7	1.1
iGAS	2	6	5	2	7	1	4	1	69	51	65	13	7.9	1.7
Grand Total	861	852	879	819	1016	1148	1309	681						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)				1	2	0.7	2	2	0.8
Hepatitis B (unspecified)	2	9 (7)	7.6	2	12 (11)	9.9	4	17 (17)	11.3
Hepatitis C (newly acquired)		(1)	0.4		(1)	1.7		(2)	3.2
Hepatitis C (re-infection newly acquired)		1	0.6	3	5	5.3		2	3.1
Hepatitis C (re-infection unspecified)			0.2		4	2.3		2	1.3
Hepatitis C (unspecified)	4	11 (10)	7.9	3	16 (19)	19.4	8	22 (27)	14.2
Hepatitis D			0.1		(1)	0.1		2 (2)	0.7
Enteric diseases									
Campylobacteriosis	13	85 (78)	72.3	8	77 (78)	71.6	12	77 (88)	64.5
Cryptosporidiosis		4 (8)	3.1		(9)	1.7		3 (22)	2.8
Hepatitis A			0.4			0.8		(1)	0.5
Listeriosis		(1)	0.1			0.1			0.5
Paratyphoid fever			0.1			0.1			0.1
Rotavirus		4 (9)	18.4		1 (14)	12.5		5 (7)	15.6
STEC/VTEC infection			1.2	1	2	2.1		1 (3)	1.2
Salmonellosis	3	14 (21)	23.2	2	22 (24)	25.4	3	9 (20)	19.1
Shigellosis		1 (4)	5.7		3 (5)	6.5		4 (5)	8.3
Typhoid			0.4			0.4			0.6
Vibrio parahaemolyticus		(2)	0.4		1	0.7		2 (1)	0.7
Yersiniosis		3 (2)	2.4		(4)	2.9		1 (1)	3.3
Sexually transmissible infections									
Chlamydia (genital)	22	176 (238)	165.7	25	173 (239)	189.8	34	240 (282)	218.6
Gonorrhoea	3	56 (77)	70.9	9	94 (92)	94.8	17	113 (99)	114.8
Syphilis - Infectious		3 (14)	5.4	1	9 (16)	9.9	1	19 (21)	15.8
Syphilis - Non-Infectious	1	7 (2)	3.9	2	9 (10)	4.3	1	14 (14)	9.3
Vaccine preventable diseases									
Diphtheria		1	0.1						0.1
H. influenzae type b									
Influenza	31	184*****	109.8	42	209 (846)	89.7	79	285 (924)	101.8
Measles		(2)	0.1			0.3			0.1
Mumps						0.1			0.2
Pertussis	2	10 (38)	19.8		13 (20)	24.3	3	20 (28)	17.9
Pneumococcal infection		3 (9)	1.7	1	4 (5)	2.3		2 (8)	2.2
Tetanus						0.1			
Varicella (chicken pox)	2	9 (14)	6.9		12 (18)	8.0		11 (16)	9.0
Varicella (shingles)		19 (44)	30.6		17 (43)	29.7		18 (57)	31.1
Varicella (unspecified)	17	87 (72)	59.1	12	75 (60)	58.4	14	96 (55)	59.4
Vector-borne diseases									
Barmah Forest virus			0.1						
Chikungunya		(2)	0.2		(1)	0.5		(2)	0.1
Dengue fever		2 (7)	4.8		3 (6)	3.1	1	2 (1)	2.6
Malaria		(1)	0.2		1	1.4	1	2 (1)	1.1
Murray Valley encephalitis virus						0.1			
Ross River virus		3	3.4		2 (3)	8.1		1 (2)	5.8
Typhus		(1)	0.5			0.5			0.4
Zoonotic diseases									
Leptospirosis									
Q Fever							1		0.4
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			0.2			0.3		1	0.1
Amoebic meningitis						0.1			
COVID-19	15	126 (736)	90.1	18	135 (531)	73.8	20	139 (742)	82.3
Creutzfeldt-Jakob disease						0.1			
Haemolytic Uraemic Syndrome						0.1			
Legionellosis		(1)	0.5		(2)	0.8		1	1.1
Leprosy						0.1			
Melioidosis						0.1			
Meningococcal infection			0.1			0.1			
Mpox		1	1.1		1	1.3			1.3
RSV	79	436 (427)	128.2	77	415 (247)	125.3	77	443 (448)	121.6
Tuberculosis		2 (3)	2.8	1	3 (2)	2.3	1	7 (9)	3.7
iGAS	1	6 (1)	1.8		3 (6)	3.5		4 (4)	3.2
Grand Total	195	1263 *****		208	1323 *****		278	1568 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)			0.5						
Hepatitis B (unspecified)		3 (3)	3.9		2 (3)	10.4		1 (1)	7.4
Hepatitis C (newly acquired)		1 (1)	3.4	1	2 (1)	13.4			
Hepatitis C (re-infection newly acquired)			1.9	2	2 (2)	3.0			
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	1	2 (5)	14.0	1	3 (3)	19.3		1 (1)	14.7
Hepatitis D									
Enteric diseases									
Campylobacteriosis	2	19 (36)	89.7		7 (9)	90.7		3 (12)	67.5
Cryptosporidiosis	1	2 (5)	6.3			7.4			1.2
Hepatitis A									
Listeriosis									3.7
Paratyphoid fever									9.8
Rotavirus		(1)	9.2		(1)	4.5			6.1
STEC/VTEC infection		(4)	7.2		5 (1)	13.4		(1)	29.5
Salmonellosis		5 (5)	26.0		1 (2)	31.2		3 (1)	2.5
Shigellosis		(2)	3.9		(3)	3.0		1	
Typhoid			0.5						
Vibrio parahaemolyticus									
Yersiniosis		1	1.9						1.2
Sexually transmissible infections									
Chlamydia (genital)	4	37 (31)	116.7		8 (8)	111.5	2	9 (15)	81.1
Gonorrhoea		9 (15)	41.5		1 (1)	32.7	2	4 (7)	35.6
Syphilis - Infectious		1	2.4			5.9			4.9
Syphilis - Non-Infectious		1	3.9		(1)	4.5			1.2
Vaccine preventable diseases									
Diphtheria									
H. influenzae type b									
Influenza	8	91 (265)	127.3	1	33 (64)	99.6	3	7 (50)	46.7
Measles									
Mumps									
Pertussis		1 (32)	23.6		22	174.0		(5)	6.1
Pneumococcal infection		1 (3)	1.4		(1)	5.9		(1)	3.7
Tetanus									
Varicella (chicken pox)	2	3 (6)	9.2		1 (3)	16.4		1 (1)	7.4
Varicella (shingles)	1	21 (24)	89.7		6 (7)	126.4	1	6 (8)	43.0
Varicella (unspecified)		1 (1)	0.5						7.4
Vector-borne diseases									
Barmah Forest virus			2.4						1.2
Chikungunya			0.5						
Dengue fever		(1)	2.9			1.5		(2)	3.7
Malaria			0.5						2.5
Murray Valley encephalitis virus									
Ross River virus		1 (2)	26.5		(2)	23.8			8.6
Typhus			0.5						
Zoonotic diseases									
Leptospirosis			0.5						
Q Fever						1.5			3.7
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			1.0			3.0			1.2
Amoebic meningitis									
COVID-19	3	24 (140)	77.2	3	9 (34)	46.1		3 (26)	51.6
Creutzfeldt-Jakob disease									1.2
Haemolytic Uraemic Syndrome									
Legionellosis		(1)	0.5						
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox			0.5						
RSV	8	103 (60)	125.9	2	9 (42)	47.6	7	24 (16)	67.5
Tuberculosis			0.5			1.5			
iGAS		(1)	3.4		(1)	3.0			6.1
Grand Total	30	327 (644)		10	111 (189)		15	63 (147)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)						1.7	1		3.3
Hepatitis B (unspecified)			7.1		1 (2)	12.1		(2)	3.3
Hepatitis C (newly acquired)			2.8			1.7			1.7
Hepatitis C (re-infection newly acquired)									
Hepatitis C (re-infection unspecified)			1.4						
Hepatitis C (unspecified)		4 (2)	18.4	2	3	17.2		2 (2)	19.9
Hepatitis D									
Enteric diseases									
Campylobacteriosis		7 (2)	86.2	1	6 (4)	49.9	2	4 (3)	64.7
Cryptosporidiosis		1	18.4				2	2	8.3
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus					(1)	6.9		(3)	10.0
STEC/VTEC infection		(1)	2.8		(1)	5.2		2 (1)	13.3
Salmonellosis	1	4 (3)	33.9	2		17.2		4 (9)	71.3
Shigellosis		(1)	9.9			17.2	1	2 (1)	11.6
Typhoid									
Vibrio parahaemolyticus						1.7			
Yersiniosis						1.7			
Sexually transmissible infections									
Chlamydia (genital)	3	18 (22)	219.1		12 (32)	273.7		22 (26)	343.4
Gonorrhoea	2	12 (15)	114.5	1	12 (22)	168.7		26 (18)	283.6
Syphilis - Infectious		(1)	19.8		1 (3)	25.8	1	2 (6)	34.8
Syphilis - Non-Infectious		(3)	12.7		1	10.3			1.7
Vaccine preventable diseases									
Diphtheria						5.2	2	8	51.4
H. influenzae type b									
Influenza		8 (112)	100.4	7	16 (33)	43.0		(31)	44.8
Measles			1.4						
Mumps									
Pertussis		(2)	4.2		3 (5)	24.1	1	5 (2)	13.3
Pneumococcal infection		(2)	5.7		(1)	13.8		(1)	11.6
Tetanus									
Varicella (chicken pox)		3	11.3		(2)	3.4		1 (2)	11.6
Varicella (shingles)		2 (6)	52.3	1	4 (5)	62.0		3 (1)	41.5
Varicella (unspecified)		3	11.3						
Vector-borne diseases									
Barmah Forest virus									3.3
Chikungunya									1.7
Dengue fever		1	4.2		(1)	3.4			
Malaria			1.4						1.7
Murray Valley encephalitis virus									
Ross River virus		1 (2)	4.2			3.4		(1)	10.0
Typhus			1.4						1.7
Zoonotic diseases									
Leptospirosis									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)			1.4			1.7			
Amoebic meningitis									
COVID-19		5 (48)	59.4		2 (33)	32.7		1 (19)	21.6
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis									1.7
Leprosy									
Melioidosis									
Meningococcal infection									
Mpox									1.7
RSV	1	19 (21)	84.8	7	18 (17)	70.6	2	8 (5)	91.2
Tuberculosis		1	2.8			1.7			
iGAS		(2)	9.9			8.6		1 (1)	6.6
Grand Total	7	89 (245)		19	81 (162)		9	94 (134)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)				3	5 (3)	0.5
Hepatitis B (unspecified)		(2)	12.3	8	48 (50)	9.5
Hepatitis C (newly acquired)			7.4	1	3 (6)	2.1
Hepatitis C (re-infection newly acquired)				5	10 (2)	2.5
Hepatitis C (re-infection unspecified)				0	6 (1)	1.1
Hepatitis C (unspecified)	1	3 (2)	34.4	21	68 (74)	14.5
Hepatitis D				0	2 (3)	0.3
Enteric diseases						
Campylobacteriosis		3 (8)	68.7	38	290 (324)	72.1
Cryptosporidiosis		(2)	2.5	1	12 (49)	3.3
Hepatitis A				0	0 (3)	0.4
Listeriosis				0	0 (1)	0.2
Paratyphoid fever				0	0 (0)	0.2
Rotavirus		(21)	14.7	0	10 (59)	14.3
STEC/VTEC infection		(2)	22.1	1	10 (15)	2.9
Salmonellosis		4 (9)	85.9	9	69 (97)	25.6
Shigellosis		2 (5)	36.8	1	13 (27)	7.3
Typhoid				0	0 (0)	0.4
Vibrio parahaemolyticus				0	3 (4)	0.5
Yersiniosis		1	4.9	0	6 (7)	2.6
Sexually transmissible infections						
Chlamydia (genital)	1	37 (40)	770.6	92	748 (944)	198.4
Gonorrhoea		31 (34)	638.1	34	363 (384)	102.2
Syphilis - Infectious		4 (8)	122.7	3	39 (69)	12.4
Syphilis - Non-Infectious		1	17.2	4	36 (32)	6.0
Vaccine preventable diseases						
Diphtheria		26	323.9	2	35 (0)	5.6
H. influenzae type b			2.5	0	0 (0)	0.0
Influenza	2	15 (30)	162.0	174	854*****	101.0
Measles				0	0 (2)	0.2
Mumps				0	0 (1)	0.1
Pertussis		(2)	2.5	6	74 (134)	23.1
Pneumococcal infection		2 (2)	9.8	1	12 (33)	2.8
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)		1	14.7	4	42 (64)	8.4
Varicella (shingles)		4 (5)	76.1	3	102 (204)	39.9
Varicella (unspecified)			4.9	43	263 (191)	48.6
Vector-borne diseases						
Barmah Forest virus			9.8	0	0 (0)	0.5
Chikungunya				0	0 (5)	0.3
Dengue fever				1	8 (18)	3.4
Malaria				1	3 (2)	0.9
Murray Valley encephalitis virus				0	0 (0)	0.0
Ross River virus		2	63.8	0	10 (12)	8.5
Typhus				0	0 (1)	0.5
Zoonotic diseases						
Leptospirosis				0	0 (0)	0.0
Q Fever				0	1 (0)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)		3	7.4	0	4 (0)	0.5
Amoebic meningitis				0	0 (0)	0.0
COVID-19		2 (21)	68.7	59	451*****	78.1
Creutzfeldt-Jakob disease				0	0 (0)	0.1
Haemolytic Uraemic Syndrome				0	0 (0)	0.0
Legionellosis				0	1 (4)	0.7
Leprosy			2.5	0	0 (0)	0.0
Melioidosis			7.4	0	0 (0)	0.1
Meningococcal infection				0	0 (2)	0.1
Mpox				0	2 (0)	1.1
RSV		5 (14)	476.1	260	1487*****	124.9
Tuberculosis		(1)	2.5	2	13 (15)	1.7
iGAS		3 (4)	51.5	1	17 (20)	4.0
Grand Total	4	149 (212)		778	5120 (9908)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 26	
	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	2026	2025
	Salmonella Total	36	29	25	28	23	19	18	9	774
Serotype/Phage										
Salmonella Aberdeen									0	1
Salmonella Adelaide									1	5
Salmonella Agona					1	1			10	10
Salmonella Albany					1				2	2
Salmonella Anatum			1						5	2
Salmonella Anatum var 15+									1	0
Salmonella Apeyeme			1						1	0
Salmonella Ball		1							2	0
Salmonella Bareilly									4	26
Salmonella Birkenhead									3	0
Salmonella Bispebjerg	1			1					3	0
Salmonella Blukwa									1	0
Salmonella Bonn									1	3
Salmonella Bootle									1	0
Salmonella Bovismorbificans			1		1		1		7	11
Salmonella Braenderup						1			1	3
Salmonella Brandenburg									1	0
Salmonella Cerro									1	2
Salmonella Chailey									2	2
Salmonella Chester	3	1	1				1		26	28
Salmonella Choleraesuis bv Australia									14	10
Salmonella Choleraesuis bv Decatur	1			1	1				12	8
Salmonella Concord									1	1
Salmonella Corvallis			1						3	5
Salmonella Derby									2	1
Salmonella Eastbourne									4	3
Salmonella Emek	1								1	6
Salmonella Enteritidis	7	3	6	3	7	3	1		96	83
Salmonella Fremantle subsp II				1					3	0
Salmonella Give					1				3	1
Salmonella Give var 15+									1	0
Salmonella Goldcoast					1				1	0
Salmonella Havana				1		1			11	5
Salmonella Heidelberg									2	6
Salmonella Houten subsp IV									1	0
Salmonella Hvittingfoss						1			6	10
Salmonella Infantis		1	2	1	1				29	20
Salmonella Isangi									1	0
Salmonella Javiana				1					2	4
Salmonella Kedougou									1	0
Salmonella Kentucky				1					15	14
Salmonella Kiambu									2	10
Salmonella Kottbus					1				4	2
Salmonella Lexington									1	1
Salmonella Livingstone				1					2	0
Salmonella Llandoff									1	0
Salmonella London	1								3	0
Salmonella Mbandaka				1					6	2
Salmonella Mgulani									1	0

Weekly Report for period 07-MAY-26 to 01-JUL-26

	13/05	20/05	27/05	03/06	10/06	17/06	24/06	01/07	Cumulative Total to end of Week 26	
									2026	2025
Salmonella Total	36	29	25	28	23	19	18	9	774	817
Serotype/Phage										
Salmonella Montevideo									1	1
Salmonella Muenchen		1	1	1	1				17	10
Salmonella Muenster									4	1
Salmonella Muenster var 15+									1	2
Salmonella Newport		1	2	2			1		20	22
Salmonella Ohio									1	1
Salmonella Oranienburg									1	5
Salmonella Orientalis									1	1
Salmonella Orion									2	2
Salmonella Oslo				1					2	2
Salmonella Paratyphi B bv Java	6	3	3	1	2	4	2		64	76
Salmonella Poona	1								8	2
Salmonella Potsdam							1		3	6
Salmonella Reading						1	1		10	7
Salmonella Rissen		1	1						5	2
Salmonella Rubislaw									2	2
Salmonella Saintpaul	2	2	2			1			24	26
Salmonella Senftenberg	1					1			4	3
Salmonella Singapore		1							7	5
Salmonella Stanley		1	1	3			1		21	29
Salmonella Tennessee									8	5
Salmonella Thompson									4	6
Salmonella Typhimurium	5	6	1	4	2	3	1		105	156
Salmonella Uganda var 15+									1	0
Salmonella Urbana									3	2
Salmonella Virchow		1	1		1		1		26	35
Salmonella Wandsbek subsp II									2	1
Salmonella Wandsworth									2	1
Salmonella Wangata				1					3	5
Salmonella Waycross									1	0
Salmonella Welikade									2	2
Salmonella Weltevreden	1	2		1	1				16	17
Salmonella Weltevreden var 15+									1	6
Salmonella Zanzibar									4	3
Salmonella species	6	4		2	1	2	7	9	84	84
Salmonella subsp 1 ser 4,5:i:-									11	2
Salmonella subsp II									0	0
Salmonella subsp II ser									1	0